User's Manual - Setup Guide


FlexScan® S2134
Color LCD Monitor

Important

Please read PRECAUTIONS, this Setup Guide and the User’s Manual carefully to familiarize yourself with safe and effective usage. Please retain this guide forfuture reference.

1






FD-C39D
(DVI-D - DVI-D)



MD-C87
(D-Sub - D-Sub)





MD-C93
(USB-A - USB-B)






2







3


On


4


FlexScan S****
Color
Signal
Preferences
Languages
Information
Languages
English
Deutsch
Français
Español
Italiano
Svenska
日本語
簡体中文
繁體中文

5



6



7 For the latest product information including the “User’s Manual”, refer to our web site :
www.eizoglobal.com

Safety Information

English

⚠RISK OF ELECTRIC SHOCK. DO NOT OPEN.
⚠The equipment must be connected to a grounded main outlet.

Deutsch

⚠GEFAHR DES ELEKTRISCHEN SCHLAGES. RÜCKWAND NICHT ENTFERNEN.
⚠Das Gerät muss mit einer ordnungsgemäß geerdeten Steckdose verbunden werden.

Français

⚠RISQUE DE CHOC ELECTRIQUE. NE PAS OUVRIR.
⚠L'équipement doit être branché à une prise électrique raccordée à la terre.

Español

⚠RIESGO DE DESCARGA ELÉCTRICA. NO ABRAS.
⚠El equipo debe conectarse a una toma de corriente con toma de tierra.

Italiano

⚠RISCHIO DI FOLGORAZIONE. NON APRIRE.
⚠L'apparecchio deve essere collegato a una presa munita di collegamento a terra.

Svenska

⚠RISK FÖR ELSTÖTAR. ÖPPNA INTE.
⚠Utrustningen måste vara ansluten till ett jordat uttag.

Ελληνικά

⚠ΚΙΝΔΥΝΟΣ ΗΛΕΚΤΡΟΠΛΗΞΙΑΣ. ΝΑ ΜΗΝ ΑΝΟΙΧΘΕΙ.
⚠Ο εξοπλισμός πρέπει να συνδέεται σε γειωμένη πρίζα.

Русский

⚠ОПАСНОСТЬ ПОРАЖЕНИЯ ЭЛЕКТРИЧЕСКИМ ТОКОМ. НЕ ОТКРЫВАТЬ.
⚠Оборудование должно быть подключено к заземленной штепсельной розетке питающей сети.

Nederlands

⚠RISICO OP EEN ELEKTRISCHE SCHOK. NIET OPENEN.
⚠Het apparaat moet aangesloten worden op een geaard stopcontact.

Português

⚠RISCO DE CHOQUE ELÉTRICO. NÃO ABRA.
⚠O equipamento deve ser conectado a uma tomada de rede elétrica aterrada.

Dansk

⚠RISIKO FOR ELEKTRISK STØD. MÅ IKKE ÅBNES.
⚠Udstyret skal sluttes til en stikkontakt med jord.

Suomi

⚠SÄHKÖISKUN VAARA. EI SAA AVATA.
⚠Laitteisto on liitettävä maadoitettuun pistorasiaan.

Język polski

⚠RYZYKO PORAŻENIA PRĄDEM ELEKTRYCZNYM. NIE OTWIERAĆ.
⚠Urządzenie musi być podłączone do uziemionego gniazda zasilania.

Český jazyk

⚠NEBEZPEČÍ ÚRAZU ELEKTRICKÝM PROUDEM. NEOTEVÍREJTE.
⚠Přístroj musí být připojen k uzemněné napájecí zásuvce.

Eestlane

⚠ELEKTRILÖÖGI OHT. ÄRGE AVAGE.
⚠Seade peab olema ühendatud maandusega pistikupessa.

Magyar

⚠ÁRAMÜTÉS VESZÉLYE. NE NYISSA KI.
⚠A berendezést csak földelt hálózati aljzathoz csatlakoztassa.

Slovenščina

⚠NEVARNOST ELEKTRIČNEGA UDARA. NE ODPIRAJTE.
⚠Oprema mora biti priključena na ozemljeno omrežno vtičnico.

Slovenský

⚠RIZIKO ÚRAZU ELEKTRICKÝM PRÚDOM. NEOTVÁRAJTE.
⚠Výrobok sa musí pripojiť do uzemnenej elektrickej zásuvky.

Latvietis

⚠ELEKTRISKĀS STRĀVAS TRIECIENA RISKS. NEATVĒRT.
⚠Aprīkojumam jābūt savienotam ar iezemētu strāvas kontaktligzdu.

Lietuvis

⚠ELEKTROS SMŪGIO PAVOJUS. NEATIDARYKITE.
⚠Įrenginį reikia jungti į įžemintą maitinimo lizdą.

Българские

⚠РИСК ОТ ТОКОВ УДАР. НЕ ОТВАРЯЙТЕ.
⚠Оборудването трябва да бъде свързано към заземен контакт.

Română

⚠PERICOL DE ELECTROCUTARE. NU DESCHIDEŢI.
⚠Echipamentul trebuie conectat la o priză împământată.

Türk

⚠ELEKTRİK ÇARPMASI RİSKİ. AÇMAYIN.
⚠Ekipman, topraklı bir prize bağlanmalıdır.

Norsk

⚠FARE FOR ELEKTRISK STØT. IKKE ÅPNE.
⚠Utstyret må kobles til et jordet strømuttak.

hrvatski

⚠OPASNOST OD STRUJNOG UDARA. NE OTVARAJTE.
⚠Oprema mora biti spojena na uzemljenu mrežnu utičnicu.

عربى

⚠ خطر الصدمة الكهربائية. لا تقم بالفتح.
⚠ يجب توصيل الجهاز بمأخذ تيار أساسي مؤرض.

Regulatory Compliance Notice

Hinweise zur Auswahl des richtigen Schwenkarms für Ihren Monitor

Dieser Monitor ist für Bildschirmarbeitsplätze vorgesehen. Wenn nicht der zum Standardzubehör gehörige Schwenkarm verwendet wird, muss statt dessen ein geeigneter anderer Schwenkarm installiert werden. Bei der Auswahl des Schwenkarms sind die nachstehenden Hinweise zu berücksichtigen:
Der Standfuß muß den nachfolgenden Anforderungen entsprechen:

a) Der Standfuß muß eine ausreichende mechanische Stabilität zur Aufnahme des Gewichtes vom Bildschirmgerät und des spezifizierten Zubehörs besitzen. Das Gewicht des Bildschirmgerätes und des Zubehörs sind in der zugehörenden Bedienungsanleitung angegeben.
b) Die Befestigung des Standfusses muß derart erfolgen, daß die oberste Zeile der Bildschirmanzeige nicht höher als die Augenhöhe eines Benutzers in sitzender Position ist.
c) Im Fall eines stehenden Benutzers muß die Befestigung des Bildschirmgerätes derart erfolgen, daß die Höhe der Bildschirmmitte über dem Boden zwischen 135 – 150 cm beträgt.
d) Der Standfuß muß die Möglichkeit zur Neigung des Bildschirmgerätes besitzen (max. vorwärts: 5°, min. nach hinten ≥ 5°).
e) Der Standfuß muß die Möglichkeit zur Drehung des Bildschirmgerätes besitzen (max. ±180°). Der maximale Kraftaufwand dafür muß weniger als 100 N betragen.
f) Der Standfuß muß in der Stellung verharren, in die er manuell bewegt wurde.
g) Der Glanzgrad des Standfusses muß weniger als 20 Glanzeinheiten betragen (seidenmatt).
h) Der Standfuß mit Bildschirmgerät muß bei einer Neigung von bis zu 10° aus der normalen aufrechten Position kippsicher sein.

Hinweis zur Ergonomie

Dieser Monitor erfüllt die Anforderungen an die Ergonomie nach EK1-ITB2000 mit dem Videosignal, 1600 × 1200, Digital Eingang und mindestens 60,0 Hz Bildwiederholfrequenz, non interlaced. Weiterhin wird aus ergonomischen Gründen empfohlen, die Grundfarbe Blau nicht auf dunklem Untergrund zu verwenden (schlechte Erkennbarkeit, Augenbelastung bei zu geringem Zeichenkontrast.)
„Maschinenlärminformations-Verordnung 3. GPSGV:
Der höchste Schalldruckpegel beträgt 70 dB(A) oder weniger gemäss EN ISO 7779“

Um störende Reflexionen am Bildschirmarbeitsplatz zu vermeiden, darf die Rückseite des Bildschirms nicht in das unmittelbare Sichtfeld eines Benutzers gestellt werden.

Information for Radio Interference

For U.S.A., Canada Only

FCC Supplier's Declaration of Conformity

We, the Responsible Party	EIZO Inc.
	5710 Warland Drive, Cypress, CA 90630
	Phone: (562) 431-5011
declare that the product	Trade name: EIZO
	Model: FlexScan S2134

is in conformity with Part 15 of the FCC Rules. Operation of this product is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures.

* Reorient or relocate the receiving antenna.
* Increase the separation between the equipment and receiver.
* Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
* Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note

Use the attached specified cable below or EIZO signal cable with this monitor so as to keep interference within the limits of a Class B digital device.

- AC Cord
- Shielded Signal Cable (enclosed)

Canadian Notice

This Class B information technology equipment complies with Canadian ICES-003.
Cet équipement informatique de classe B est conforme à la norme NMB-003 du Canada.

The required text can be found in the "Information" menu of the product. For details, refer to the User's Manual.

Declaration of compliance with India RoHS

We, EIZO Corporation, hereby declare and guarantee that this product has been designed and manufactured in compliance with the E-Waste management rule which prohibit the inclusion of the following substances except for the exemptions listed in schedule II.

- Lead, Mercury, Hexavalent Chromium, Polybrominated Biphenyls or Polybrominated Diphenyl Ethers exceeding a concentration of 0.1% by weight in homogeneous materials
- Cadmium exceeding a concentration of 0.01% by weight in homogeneous materials

For information on proper disposal and recycling of the product, please refer to the following website.
www.eizoglobal.com/i/ewaste-in/

ENERGY STAR®

As an ENERGY STAR Partner, EIZO Corporation has determined that this product meets the ENERGY STAR guidelines for energy efficiency.
Power consumption may increase depending on product settings and connection conditions.

LIMITED WARRANTY

EIZO Corporation (hereinafter referred to as "**EIZO**") and distributors authorized by EIZO (hereinafter referred to as the "**Distributors**") warrant, subject to and in accordance with the terms of this limited warranty (hereinafter referred to as the "**Warranty**"), to the original purchaser (hereinafter referred to as the "**Original Purchaser**") who purchased the product specified in this document (hereinafter referred to as the "**Product**") from EIZO or Distributors, that EIZO and Distributors shall, at their sole discretion, either repair or replace the Product at no charge if the Original Purchaser becomes aware within the Warranty Period (defined below) that the Product malfunctions or is damaged in the course of normal use of the Product in accordance with the description in the instruction manual of the Product (hereinafter referred to as the "**User's Manual**").

The period of this Warranty is five (5) years from the date of purchase of the Product or 30,000 hours of usage time, whichever comes earlier (hereinafter referred to as the "**Warranty Period**"). EIZO and Distributors shall bear no liability or obligation with regard to the Product in relation to the Original Purchaser or any third parties other than as provided under this Warranty.

EIZO and Distributors will cease to hold or store any parts (excluding design parts) of the Product upon expiration of five (5) years after the production of the Product is discontinued. In repairing the Product, EIZO and Distributors will use renewal parts which comply with our QC standards. If the unit cannot be repaired due to its condition or the stockout of a relevant part, EIZO and Distributors may offer the replacement by a product with equivalent performance instead of repairing it.

The Warranty is valid only in the countries or territories where the Distributors are located. The Warranty does not restrict any legal rights of the Original Purchaser.

Notwithstanding any other provision of this Warranty, EIZO and Distributors shall have no obligation under this Warranty whatsoever in any of the cases as set forth below:

(a) Any defect of the Product caused by freight damage, modification, alteration, abuse, misuse, accident, incorrect installation, disaster, adherent dust, faulty maintenance and/or improper repair by third party other than EIZO and Distributors;
(b) Any incompatibility of the Product due to possible technical innovations and/or regulations;
(c) Any deterioration of the sensor, including measurement value of the sensor;
(d) Any defect of the Product caused by external equipments;
(e) Any defect of the Product caused by the use under environmental conditions not anticipated by EIZO;
(f) Any deterioration of the attachments of the Product (e.g. cables, User's Manual, CD-ROM, etc.);
(g) Any deterioration of the consumables, and/or accessories of the Product (e.g. batteries, remote controller, touch pen, etc.);
(h) Any exterior deterioration or discoloration of the Product, including that of the surface of the LCD panel, the touch panel and the protect panel;
(i) Any defect of the Product caused by placement in a location where it may be affected by strong vibrations or shocks;
(j) Any defect of the Product caused by leaking battery liquid;
(k) Any deterioration of display performance caused by the deterioration of expendable parts such as the LCD panel and/or backlight, etc. (e.g. changes in brightness, changes in brightness uniformity, changes in color, changes in color uniformity, defects in pixels including burnt pixels, etc.);
(l) Any deterioration or malfunction of the cooling fan caused by adherent dust.

To obtain service under the Warranty, the Original Purchaser must deliver the Product, freight prepaid, in its original package or other adequate package affording an equal degree of protection, assuming the risk of damage and/or loss in transit, to the local Distributor. The Original Purchaser must present proof of purchase of the Product and the date of such purchase when requesting services under the Warranty.

The Warranty Period for any replaced and/or repaired product under this Warranty shall expire at the end of the original Warranty Period.

EIZO OR DISTRIBUTORS ARE NOT RESPONSIBLE FOR ANY DAMAGE TO, OR LOSS OF, DATA OR OTHER INFORMATION STORED IN ANY MEDIA OR ANY PART OF ANY PRODUCT RETURNED TO EIZO OR DISTRIBUTORS FOR REPAIR.

EIZO AND DISTRIBUTORS MAKE NO FURTHER WARRANTIES, EXPRESSED OR IMPLIED, WITH RESPECT TO, INCLUDING, WITHOUT LIMITATION, THE PRODUCT AND ITS QUALITY, PERFORMANCE, MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR USE.

IN NO EVENT SHALL EIZO OR DISTRIBUTORS BE LIABLE FOR ANY INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGE WHATSOEVER (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFIT, BUSINESS INTERRUPTION, LOSS OF BUSINESS INFORMATION, OR ANY OTHER PECUNIARY LOSS) ARISING OUT OF THE USE OR INABILITY TO USE THE PRODUCT OR IN ANY CONNECTION WITH THE PRODUCT, WHETHER BASED ON CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, EVEN IF EIZO OR DISTRIBUTORS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

THIS EXCLUSION ALSO INCLUDES ANY LIABILITY WHICH MAY ARISE OUT OF THIRD PARTY CLAIMS AGAINST THE ORIGINAL PURCHASER. THE ESSENCE OF THIS PROVISION IS TO LIMIT THE POTENTIAL LIABILITY OF EIZO AND DISTRIBUTORS ARISING OUT OF THIS LIMITED WARRANTY AND/OR SALES.

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2013 with regard to energy labelling of electronic displays

	Parameter	Parameter or value and precision	Unit
1.	Supplier’s name or trademark	EIZO	
	Supplier's address	EIZO Europe GmbH, Belgrader Straße 2, 41069 Mönchengladbach, Germany	
2.	Model identifier	FlexScan S2134	
3.	Energy efficiency class for Standard Dynamic Range (SDR)	C	
4.	On mode power demand in SDR	10.0	W
5.	Energy efficiency class for High Dynamic Range (HDR)	n.a.	
6.	On mode power demand in HDR, if implemented	n.a.	W
7.	Off mode, power demand, if applicable	0.3	W
8.	Standby mode power demand, if applicable	0.5	W
9.	Networked standby mode power demand, if applicable	n.a.	W
10.	Electronic display category	Monitor	
11.	Size ratio	4 : 3	
12.	Screen resolution	1600 x 1200	pixels
13.	Screen diagonal	54.0	cm
14.	Screen diagonal	21	inches
15.	Visible screen area	14.0	dm^2
16.	Panel technology used	LCD	
17.	Automatic Brightness Control (ABC) available	No	
18.	Voice recognition sensor available	No	
19.	Room presence sensor available	No	
20.	Image refresh frequency rate (default)	60	Hz
21.	Minimum guaranteed availability of software and firmware updates (from the date of end of the placement on the market)	5	Years
22.	Minimum guaranteed availability of spare parts (from the date of end of the placement on the market)	5	Years
23.	Minimum guaranteed product support	5	Years
	Minimum duration of the general guarantee offered by the supplier	5	Years
24.	Power supply type	Internal	
25.	External power supply (non standardized and included in the product box)		
	i -		
	ii Input voltage	-	V
	iii Output voltage	-	V
26.	External standardised suitable power supply (if not included in the product box)		
	i -		
	ii Required output voltage	-	V
	iii Required delivered current (minimum)	-	A
	iv Required current frequency	-	Hz

00N0N381C1
SUG-S2134
Copyright © 2023 - 2026 EIZO Corporation. All rights reserved.
3rd Edition - October, 2026 Printed in Japan.